



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Confirmation No. 6580

NORDSTEDT et al.

Atty. Ref.: 117-580

Appln. No. 10/579,445

T.C. / Art Unit: Not Known

Filed: May 15, 2006

Examiner: Not Known

FOR: ANTIBODIES BINDING TO A C-TERMINAL FRAGMENT OF APOLIPOPROTEIN

## INFORMATION DISCLOSURE STATEMENT

July 14, 2006

U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Further to the Information Disclosure Statement (IDS) filed May 15, 2006, Applicants submit a further Form PTO-1449 listing the enclosed documents.

This IDS is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, prompt notice to that effect is earnestly solicited, along with additional time under 37 CFR § 1.97(f), to enable Applicants to comply fully. In particular, if any of the listed documents are missing or incomplete, please contact the undersigned who will provide another copy.

As provided by 37 CFR §§ 1.97(g) and (h), no inference should be made that this information and the listed references are prior art merely because they have been submitted for consideration. Furthermore, no representation is being made that a search has been conducted or that this statement encompasses all possible material information.

NORDSTEDT et al. - Appln. No. 10/579,445

Consideration of the foregoing and enclosures, as well as the return of a copy of the Form PTO-1449 with the Examiner's initials per M.P.E.P. § 609, are earnestly solicited. The Examiner is invited to contact the undersigned if any further information is needed.

Respectfully submitted,

**NIXON & VANDERHYE P.C.** 

By:

Gary R. Tanigay Reg. No. 43,180

901 North Glebe Road, 11th Floor

Arlington, VA 22203-1808 Telephone: (703) 816-4000

| IN       | <b>IFORM</b> | ATION DISC          | CLOSURE   |
|----------|--------------|---------------------|-----------|
| OF       | TAO          | CITATION            |           |
| Q P F    | ~8\          |                     |           |
|          | J006 m       | )                   |           |
| JUL 1 4  | E            | everal sheets if ne |           |
| ^        | (0\$65)      | everal sheets if he | icessary) |
| <b>3</b> | .57          |                     |           |

APPLN. NO.

ATTY. DKT. NO.

11/579,445

117-580

APPLICANT

NORDSTEDT et al. FILING DATE

GROUP

| TRABENAS  | /  |   | May           | 15, 2006  | Not Known           |               |           |             |
|-----------|--|---|---------------|---|---------------------|---------------|-----------|-------------|
|           |  |   | FC            | REIGN PATENT DOCUMENTS  |                     |               |           |             |
|           |  |   |               |   | <del></del>         |               |           | LATION      |
|           |  | DOCUMENT  | DATE          | COUNTRY   | CLASS               | SUBCLASS      | YES       | NO          |
|           | ٩R   | WO 94/09155   | 04/1994       | WIPO  |                     |               |           |             |
|           | ВR   | WO 2004/011943  | 02/2004       | WIPO  |                     |               |           |             |
|           | CR   | EP 1434053 A1   | 06/2004       | Europe  |                     |               |           |             |
|           | DR   |   |               |   |                     |               |           |             |
|           |  | OTHER DOC   | CUMENTS (     | including Author, Title, Pertinent  | pages, Date,        | etc.)         |           |             |
| E         | R  | Aizawa et al. "Amino  | -terminus tr  | uncated apolipoprotein E is the ma  | or species in a     | myloid depo   | sits in   |             |
|           |  |   | affected bri  | ans: A possible role for apolipoprot  | ein E in Alzheir    | ner's diseas  | e" Brair  | n Res.      |
|           |  | 768:208-214 (1997)  | Alon of lates | naviganal navigatibullani tanalaa in a                                      | nalinanratain E     | deficient m   | ioo" Pro  | o Noti      |
|           |  | Bi et al. "Hapid induc<br>Acad. Sci. USA 98:8   |               | neuronal neurofibrillary tangles in a                                       | polipoproteiri      | -delicient ii | iice Fic  | oc. Ivali.  |
|           | <u>.</u>   | Rury of al. "1 Anolini  | rotein quant  | ification by ELISA: Technical aspec   | ets and clinical    | applications  | " Rev. I  | mmuno       |
| ١٩        |  | Technol. 1:1-25 (199  | •             | inication by ELIGA. Technical aspec   | no and omnour       | αρριισατιστισ | 1101.1    | mmano.      |
|           |  |   |               | e of the quantification of apolipopro                                       | tein E in cereb     | rospinal flui | d" Clin.  | Chimica     |
|           |  | Acta 196:167-176 (1   |               |   |                     |               |           |             |
| i         | R  | Castano et al. "Apoli   | poprotein E   | carboxyl-terminal fragments are co  | mplexed to am       | yloids A and  | d L" J. E | Biol.       |
|           |  | Chem. 270:17610-17  |               |   |                     |               |           |             |
| J         |  |   |               | on and functional studies of lipopro  |                     |               |           |             |
|           |  |   | sferase in C  | SF of normal individuals and patien   | its with Alzheim    | ner's diseas  | e" J. Lip | id Res.     |
|           |  | 41:963-974 (2000)   |               | aulfata masiatant agendavas of Aleb   | aima aria arraylais | d C poptido   | with the  | . NI        |
| *         |  | Golabek et al. "Sodium dodecyl sulfate-resistant complexes of Alzheimer's amyloid β-peptide with the N-terminal, receptor binding domain of apolipoprotein E" Biophys. J. 79:1008-1015 (2000) |               |   |                     |               |           |             |
|           |  | Harris et al. "Carboxyl-terminal-truncated apolipoprotein E4 causes Alzheimer's disease-like neurodegene-   |               |   |                     |               |           |             |
| `         |  | ration and behavioral deficits in transgenic mice" Proc. Natl. Acad. Sci. USA 100:10966-10971 (2003)  |               |   |                     |               |           |             |
| N         | 1R   | Huang et al. "Apolipoprotein E fragments present in Alzheimer's disease brains induce neurofibrillary tangle-   |               |   |                     |               |           |             |
|           |  | like intracellular inclusions in neurons" Proc. Natl. Acad. Sci. USA 98:8838-8843 (2001)  |               |   |                     |               |           |             |
| 1         | R Klezovitch et al. "Structural determinants in the C-terminal domain of apolipoprotein E mediating binding to   |   |               |   |                     | ng to         |           |             |
|           | the protein core of human aortic biglycan" J. Biol. Chem. 275:18913-18918 (2000)  OR Labeur et al. "Immunological assays of apolipoproteins in plasma: Methods and instrumentation" Clin. Chem |   |               |   |                     |               |           |             |
| 0         |  |   | ological ass  | says of apolipoproteins in plasma: N  | Methods and in      | strumentatio  | on" Clin. | Chem.       |
|           |  | 36:591-597 (1990)   | a all aurface | dienler <sup>a</sup> Trende Pietechnel, 21:45                               | F0 (2002)           |               |           |             |
|           |  |   |               | display" Trends Biotechnol. 21:45-<br>odulates glial activation and the end |                     | ral norvous   | evetem    | <del></del> |
| ٦         |  |   |               | pimmunol. 114:107-113 (2001)  | dogenous cent       | iai iiei vous | System    |             |
|           |  |   |               | structure, function, and possible role                                      | es in Alzheimer     | 's disease"   | Ann. N.   | Y. Acad.    |
| '         |  | Sci. 777:139-145 (19  | •             | variation, furnition, and possible real                                     | 30 m., m.2          |               |           |             |
| - 5       |  |   |               | mmunoreactivity in cerebral amyloi  | d deposits and      | neurofibrilla | ry tangi  | les in      |
|           |  | Alzheimer's disease   | and kuru pl   | aque amyloid in Creutzfeldt-Jakob   | disease" Brain      | Res. 541:16   | 3-166 (   | 1991)       |
| 1         | R  | Näslund et al. "Chara   | acterization  | of stable complexes involving apoli   |                     |               |           |             |
|           |  |   |               | on 15:219-228 (1995)  |                     |               |           |             |
| ا ل       |  |   |               | and E co-localise with amyloid in g   | elatinous drop-     | like and latt | ice type  | ) I         |
|           |  | corneal dystrophies"  | Br. J. Opht   | nalmol. 83:1178-1182 (1999)   | in the passes       | o and share   |           |             |
|           |  |   |               | of human apolipoprotein E3 and E4<br>5:36758-36765 (2000)                   | in the present      | e and abse    | nce or    |             |
| *Evamina: | -  | priospriolipia J. Blot.   | . Onem. 2/5   | Date Considered   |                     |               | <u> </u>  |             |
| *Examiner |  |   | <u>-</u>      | Date Considered   |                     |               |           |             |

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Sheet 2 of 2

| INFO     | RMAT       | ION DISCLOSURE  | APPLN. NO.                                       | A  | TTY, DKT. NO.   |  |
|----------|------------|---|--|--|---|--|
|          | C          | ITATION   | 11/579,445                                       | 1  | 17-580  |  |
|          |            |   | APPLICANT  | · · · · · · · · · · · · · · · · · · ·                |   |  |
|          |            |   | NODDOTEDT -+                                     | al   |   |  |
| (L       | Jse sevei  | ral sheets if necessary)  | NORDSTEDT et                                     |  | ROUP  |  |
|          |            |   |  |  |   |  |
|          |            |   | May 15, 2006                                     | N  | ot Known  |  |
|          |            |   |  | hor, Title, Pertinent p                              |   |  |
| ,        |            | 'illot et al. "β-Amyloid pe<br>:: Relevance to Alzheim  |  |  | erminal domain of human apolipoprotein<br>99)                                   |  |
|          |            | aunders et al. "The role of apolipoprotein E in Alzheimer's disease: Pharmacogenomic target selection" iochim. Biophys. Acta 1502:85-94 (2000)  |  |  |   |  |
|          |            | Sparrow et al. "Apolipoprotein E: Phospholipid binding studies with synthetic peptides from the carboxyl terminus" Biochem. 31:1065-1068 (1992) |  |  |   |  |
|          | ir         | erai et al. "Apolipoprote<br>η βAPPswe transgenic n<br>6 (2001)   | in E deposition and as<br>nouse: Implications fo | strogliosis are associate<br>r the pathogenesis of A | ed with maturation of β-amyloid plaques alzheimer's disease" Brain Res. 900:48- |  |
|          |            | Veisgraber et al. "Humai<br>1996)   | n apolipoprotein E: Th                           | e Alzheimer's disease                                | connection" FASEB J. 10:1485-1494   |  |
|          |            | Visniewski et al. "Apolipo<br>myloid" Neurosci. Lett.   |  | ical chaperone protein                               | in patients with cerebral and systemic  |  |
|          |            |   |  |  | osis?" Lancet 345:956-958 (1995)  |  |
|          |            |   |  |  | ly," Catalog No. AB947 (2001)   |  |
|          |            |   |  |  | body," Catalog No. MAB1062 (2002)   |  |
|          |            | liodesign International, (  | Catalog No. H61529M                              | (2002)   |   |  |
|          | KR         |   |  |  |   |  |
|          | LR         |   |  |  |   |  |
|          | MR         | <del></del>   |  |  |   |  |
|          | NR         |   |  |  |   |  |
|          | OR         |   |  |  |   |  |
|          | PR         |   |  |  |   |  |
|          | QR         |   |  | · · · · · · · · · · · · · · · · · · ·                | ·   |  |
|          | RR         | <del></del>   |  |  |   |  |
|          | SR  <br>TR |   |  |  |   |  |
|          | UR         |   |  |  |   |  |
|          | VR         |   | <del></del>                                      |  |   |  |
|          | WR         |   |  |  |   |  |
|          | XR         |   |  |  |   |  |
|          | YR         |   |  |  |   |  |
|          | ZR         |   |  |  |   |  |
|          | AAR        |   |  | <del></del>  |   |  |
|          | 3BR        |   |  |  | ,   |  |
|          | CCR        |   |  |  |   |  |
|          | DDR        |   |  | · ·  |   |  |
| Examiner |            |   |  | Date Considered                                      |   |  |
|          |            |   |  |  | · · · · · · · · · · · · · · · · · · ·   |  |

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)